



Fold master-dev p1p2




d.master/test/fst_folded/output/pop1.pop2.saf.idx.ml.fold") – scan("test/fst_folded/output/pop1.pop2.saf.idx.ml.fold")

Fold master-dev p1p3




d.master/test/fst_folded/output/pop1.pop3.saf.idx.ml.fold") – scan("test/fst_folded/output/pop1.pop3.saf.idx.ml.fold")

Fold master-dev p2p3




d.master/test/fst_folded/output/pop2.pop3.saf.idx.ml.fold") – scan("test/fst_folded/output/pop2.pop3.saf.idx.ml.fold")

Fold true-dev p1p2




scan("test/fst_folded/input/pop1.pop2.fold.true") - scan("test/fst_folded/output/pop1.pop2.saf.idx.r

Fold true-master p1p2




/fst_folded/input/pop1.pop2.fold.true") – scan("../angsd.master/test/fst_folded/output/pop1.pop2

Fold true-dev p1p3




scan("test/fst_folded/input/pop1.pop3.fold.true") - scan("test/fst_folded/output/pop1.pop3.saf.idx.r

Fold true-master p1p3




/fst_folded/input/pop1.pop3.fold.true") – scan("../angsd.master/test/fst_folded/output/pop1.pop3

Fold true-dev p2p3



scan("test/fst_folded/input/pop2.pop3.fold.true") - scan("test/fst_folded/output/pop2.pop3.saf.idx.r

Fold true-master p2p3



/fst_folded/input/pop2.pop3.fold.true") – scan("../angsd.master/test/fst_folded/output/pop2.pop3